

CATAS S.p.A. Iscr. Reg. Imprese Udine nr. iscr. C.F. 01818850305 Reg. Impr. UD 20663 P. IVA: 01818850305 C.Soc. € 984.250,00 i.v.

Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039,464567 Fax 039.464565 lissone@catas.com

Date received: 25/07/16

Date of issue: 02/09/16

Report consists of 2 test reports.

Defects before testing: None

SOUADRONI PRODUTOS INDUSTRIAIS LTDA. RUA DR. ULISSES GUIMARAES 694-ACIBAM 09372-050 SERTAOZINHO-MAUA' () BR - BRAZIL

SAMPLE 1 - CODE 40165910012 - CASTOR SQ90 HGA WHEEL TREAD "H"

SAMPLE Nº 218146

Overall dimensions: Ø 50 mm

List performed tests:

Sample name:

- 1. Caster/chair base durability-Cyclic ANSI-BIFMA X5.1-2011/17
- 2. Castors and wheels Impact test EN 12527:1998 clause 4.12



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

> ging Director drea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



CATAS S.p.A. Iscr. Reg. Imprese Udine nr. iscr. C.F. 01818850305 Reg. Impr. UD 20663 P. IVA: 01818850305 C.Soc. € 984.250,00 i.v.

Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com



TEST REPORT

218146 / 1

Date received:

Date of test: 04/08/16

Date of issue: 02/09/16

Sample name:

25/07/16

SQUADRONI PRODUTOS INDUSTRIAIS LTDA. RUA DR. ULISSES GUIMARAES 694-ACIBAM 09372-050 SERTAOZINHO-MAUA' BR - BRAZIL

SAMPLE 1 - CODE 40165910012 - CASTOR SQ90 HGA WHEEL TREAD "H"

Caster/chair base durability-Cyclic ANSI-BIFMA X5.1-2011/17

Type of chair: pedestal base chair with casters

Seat load: 113 kg

Test results:

Number of cycles	Obstacles	Minimum pull force to separate the caster from the base required N	Pull force to separate the caster from the base measured N	Remarks
2.000	yes	"	//	No defects
98.000	no	22	> 22	No defects

Test passed

Note:

The test has been carried out with the castors assembled on a plastic star base

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Andrea Giavon

Managing Director

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer. pag. 1/1



CATAS S.p.A. Iscr. Reg. Imprese Udine nr. iscr. C.F. 01818850305 Reg. Impr. UD 20663 P. IVA: 01818850305 C.Soc. € 984.250,00 i.v.

Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432 747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel 039.464567 Fax 039.464565 lissone@catas.com

BR - BRAZIL

SQUADRONI PRODUTOS INDUSTRIAIS LTDA. RUA DR. ULISSES GUIMARAES 694-ACIBAM

09372-050 SERTAOZINHO-MAUA'

TEST REPORT

218146 / 2

Date received: 25/07/16 Date of test: 01/09/16

Date of issue: 02/09/16

Sample name: SAMPLE 1 - CODE 40165910012 - CASTOR SQ90 HGA WHEEL TREAD "H"



Castors and wheels - Impact test EN 12527:1998 clause 4.12

Castor type: Hard tread wheels type H

Breaking mechanism: No

Intended use: Castors for swivel chairs

Wheel diameter: 50 mm

impact test device and procedures as specified in clause 4.12.3 of EN 12527 standard Apparatus:

Test level: 1

Test results:

Sample n°	Drop height mm	Falling mass kg	Number of drops	Remarks
1	200	5	10	No defects
2	200	5	10	No defects
3	200	5	10	No defects

The results fulfill the requirements of EN 12529 clause 5.2

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

The sample name and, when re[e/ant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer. pag. 1/1